	Туре	L	#	Hits	Search Text	DBs	Time Stamp	Commen ts
1	IS&R	L1		0	("privateadjvariablewith(class\$3orobject\$3)withfunction").PN.	т;	2003/10/	
2	BRS	L2			private adj variable with (class\$3 or object\$3) with function	USPA T; US-P GPUB	2003/10/ 23 14:58	
3	BRS	L3		18	(class\$3 or		2003/10/ 23 15:24	
4	BRS	L4		24	error\$1 with function\$1 with stop\$7 with continu\$6		2003/10/ 23 15:25	
5	BRS	L5		72	error\$1 with program\$7 with stop\$7 with (continu\$6 or resum\$6)		2003/10/ 23 16:06	
6	BRS	L6		į.	(translat\$7 or conver\$7) with (variable\$1 or parameter\$1) with before		2003/10/ 23 16:07	
7	BRS	L8		1	(variable\$1 or	US-P	2003/10/ 23 16:07	
8	BRS	L7		189	(translat\$7 or conver\$7) with (variable\$1 or parameter\$1) with before with input\$5	US-P	2003/10/ 23 16:07	

	Type	Hits	Search Text	DBs
1	BRS	679	<pre>function\$2 with (variable\$1 or parameter\$1) with resolut\$6</pre>	USPAT; US-PGPUB
2	BRS	80	function\$2 with (variable\$1 or parameter\$1) with resolut\$6 with set\$7	USPAT; US-PGPUB
3	BRS	0	function\$2 with (variable\$1 or parameter\$1) with resolut\$6 with value\$1 and 717/\$.ccls.	USPAT; US-PGPUB
4	BRS	114	function\$2 with (variable\$1 or parameter\$1) with resolut\$6 with value\$1	USPAT; US-PGPUB
5	BRS	5	<pre>function\$2 with (variable\$1 or parameter\$1) with resolut\$6 and 717/\$.ccls.</pre>	USPAT; US-PGPUB
6	BRS	332	function\$2 with (variable\$1 or parameter\$1) with set\$6 and 717/\$.ccls.	USPAT; US-PGPUB
7	BRS	92	function\$2 with (variable\$1 or parameter\$1) with set\$6 with value\$3 and 717/\$.ccls.	USPAT; US-PGPUB
8	BRS	13528	value\$3 with input\$6 with (variable\$1 or paramemter\$1)	USPAT; US-PGPUB
9	BRS	2319	<pre>value\$3 with (input\$6 adj (variable\$1 or paramemter\$1))</pre>	USPAT; US-PGPUB
10	BRS	28	value\$3 with (input\$6 adj (variable\$1 or paramemter\$1)) and 717/\$.ccls.	USPAT; US-PGPUB
11	BRS	225	defin\$7 with class\$7 with within with function\$7	USPAT; US-PGPUB

	Туре	Hits	Search Text	DBs
12	BRS	48	defin\$7 with class\$7 with within with function\$7 and 717/\$.ccls.	USPAT; US-PGPUB
13	BRS	2	defin\$7 with class\$7 with within adj2 function\$7 and 717/\$.ccls.	USPAT; US-PGPUB
14	BRS	11086	display with function\$2 with input\$3	USPAT; US-PGPUB
15	BRS	124	display with function\$2 with input\$3 and 717/\$.ccls.	USPAT; US-PGPUB
16	BRS	7	display adj function\$2 with input\$3 and 717/\$.ccls.	USPAT; US-PGPUB
17	BRS	164	display adj function\$2 with input\$3 with output	USPAT; US-PGPUB
18	BRS	27	display adj function\$2 with input\$3 with value\$5	USPAT; US-PGPUB
19	BRS	539	Java adj Server adj Page	USPAT; US-PGPUB
20	BRS	127	translat\$7 with extract\$5 with (variable\$1 or parameter\$1)	USPAT; US-PGPUB
21	BRS	0	translat\$7 with extract\$5 with (variable\$1 or parameter\$1) and 717/\$ccls.	USPAT; US-PGPUB
22	BRS	11	translat\$7 with extract\$5 with (variable\$1 or parameter\$1) and 717/\$.ccls.	USPAT; US-PGPUB
23	BRS	21041	translat\$7 with function\$1	USPAT; US-PGPUB
24	BRS	2320	translat\$7 adj function\$1	USPAT; US-PGPUB
25	BRS	63	translat\$7 adj function\$1 and 717/\$.ccls.	USPAT; US-PGPUB
26	BRS	1	(translat\$7 with extract\$5 with (variable\$1 or parameter\$1)) and (translat\$7 adj function\$1 and 717/\$.ccls.)	USPAT;

	Туре	Hits	Search Text	DBs
27	BRS	6062	<pre>input with output with (variable\$1 or parameter\$1 or argument\$1) with (function\$3)</pre>	USPAT; US-PGPUB
28	BRS	104	<pre>input with output with (variable\$1 or parameter\$1 or argument\$1) with (function\$3) with previous\$4</pre>	USPAT; US-PGPUB
29	BRS	73	input with output with (variable\$1 or parameter\$1 or argument\$1) with (function\$3) and 717/\$.ccls.	USPAT
30	BRS	2916	(use\$2 or using) near2 (output\$2 or result\$2) adj2 (input)	USPAT
31	BRS	39	(use\$2 or using) near2 (output\$2 or result\$2) adj2 (input) and 717/\$.ccls.	USPAT
32	BRS	9	<pre>invok\$7 with function\$1 with (formal adj parameter\$1)</pre>	USPAT
33	BRS	7	<pre>invok\$7 with (actual adj parameter\$1) with (formal adj parameter\$1)</pre>	USPAT
34	BRS	78	list\$4 near2 function\$1 near2 invok\$5	USPAT
35	BRS	2	(list\$4 near2 function\$1 near2 invok\$5) and (generat\$7 with (source adj code))	USPAT
36	BRS	7	list\$4 near2 function\$1 near2 invok\$5 and 717/\$.ccls.	USPAT
37	BRS	4310	(list\$4 near2 function\$1 near2 invok\$5) woth reciev\$7	USPAT
38	BRS	0	(list\$4 near2 function\$1 near2 invok\$5) with reciev\$7	USPAT

	Туре	Hits	Search Text	DBs
39	BRS	162	(list\$4 near2 function\$1 with invok\$5)	USPAT
40	BRS	0	(list\$4 near2 function\$1 with invok\$5) with reciev\$7	USPAT
41	BRS	6	(list\$4 near2 function\$1 with invok\$5) with receiv\$7	USPAT
42	BRS	4	((list\$4 near2 function\$1) with receiv\$7) same (generat\$7 near2 code)	USPAT
43	BRS	10	function\$1 with signature\$1 with parameter\$1 with name\$1	USPAT
44	BRS	21	object\$1 with set with get with method\$1 with (variable\$1 or parameter\$1)	USPAT
45	BRS	4	object\$1 with (set and get) adj method\$1 with (variable\$1 or parameter\$1)	USPAT
46	BRS	0	variable\$1)	USPAT
47	BRS	1167	alias with (parameter\$1 or variable\$1)	USPAT
48	BRS	31	alias with (parameter\$1 or variable\$1) with name\$1	USPAT
49	IS&R	1	("6226783").PN.	USPAT; US-PGPUB